

### **AMENDMENT**

This listing of claims will replace all prior versions, and listings, of claims in the application:

#### **Listing of Claims:**

1. (Currently Amended) A method of converting a call flow for a spoken dialog service into a state-based representation, the method comprising:

walking a call flow for a spoken dialog service outside of a telecommunications network and converting each page of the call flow into a rule of a higher level representation of the call flow;

augmenting the higher level representation with terminal symbols representing state variable assignments and comparisons associated with decision and computation shapes in the call flow; and

converting the higher level representation into a state-based representation.

2. (Previously Presented) The method of claim 1, wherein the higher level representation is a context-free grammar representation.

3. (Original) The method of claim 2, wherein the context free grammar notation is a Backus-Naur Form (BNF).

4. (Original) The method of claim 3, wherein the state-based representation is a finite state machine (FSM).

5. (Previously Presented) The method of claim 3, wherein the step of walking the call flow and converting each page to a BNF occurs automatically via a computing device.

6. (Original) The method of claim 4, wherein the step of augmenting the BNF with terminal symbols occurs automatically via a computing device.

7. (Original) The method of claim 1, wherein the call flow comprises at least one page having a set of shapes having specific meanings.

8. (Previously Presented) The method of claim 7, wherein the set of shapes having special meanings comprises at least: parallelograms representing rules, lines representing dialog inputs, rectangular boxes representing dialog outputs or actions, diamonds representing Boolean decision functions, hexagrams representing calculation and assignment functions and annotation shapes representation comments.

9. (Original) The method of claim 4, wherein a grammar compiler is used to convert the BNF into the FSM.

10. (Original) The method of claim 9, wherein the FSM may be used by at least one spoken dialog tool to perform generation and testing functions associated with a spoken dialog service.

11. (Original) The method of claim 1, wherein the rule comprises terminal symbols comprising the names used to label shapes and transitions of the call flow.

12. (Original) The method of claim 1, further comprising generating a unique terminal symbol in the higher level representation that shadows each rule, input, output, decision and calculation within the call flow.

13. - 20. (Cancelled)

21. (Previously Presented) A system for converting a call flow for a spoken dialog service into a state-based representation, the system comprising:

a processor;

a module configured for controlling the processor to walk a call flow for a spoken dialog service and convert each page of the call flow into a rule of a higher level representation of the call flow;

a module configured for controlling the processor to augment the higher level representation with terminal symbols representing state variable assignments and comparisons associated with decision and computation shapes in the call flow; and

a module configured for controlling the processor to convert the higher level representation into a state-based representation.

22. (Previously Presented) The system of claim 21, wherein the higher level representation is a context-free grammar representation.

23. (Previously Presented) The system of claim 22, wherein the context free grammar notation is a Backus-Naur Form (BNF).

24. (Previously Presented) The system of claim 23, wherein the state-based representation is a finite state machine (FSM).

25. (Previously Presented) The system of claim 23, wherein the module configured to walk the call flow and convert each page to a BNF, further walks the call flow and converts each page to a BNF automatically.

26. (Previously Presented) The system of claim 24, wherein the module configured to augment the BNF with terminal symbols further augments the BNF automatically.

27. (Previously Presented) The system of claim 21, wherein the call flow comprises at least one page having a set of shapes having specific meanings.

28. (Previously Presented) The system of claim 27, wherein the set of shapes having special meanings comprises at least: parallelograms representing rules, lines representing dialog inputs, rectangular boxes representing dialog outputs or actions, diamonds representing Boolean decision functions, hexagrams representing calculation and assignment functions and annotation shapes representation comments.

29. (Previously Presented) The system of claim 24, wherein a grammar compiler is used to convert the BNF into the FSM.
30. (Previously Presented) The system of claim 29, wherein the FSM may be used by at least one spoken dialog tool to perform generation and testing functions associated with a spoken dialog service.
31. (Previously Presented) The system of claim 21, wherein the rule comprises terminal symbols comprising the names used to label shapes and transitions of the call flow.
32. (Previously Presented) The system of claim 31, further comprising a module configured to generate a unique terminal symbol in the higher level representation that shadows each rule, input, output, decision and calculation within the call flow.